Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L19	3	(print$ with (setting$5 parameter$5 attribut$5)) same (separat$5 with (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:23
L20	0	(print$ adj2 (setting$5 parameter$5 attribut$5)) with (separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5)). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:23
L21	3	(print$ with (setting$5 parameter$5 attribut$5)) same (separat$5 with (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:47
L22	1327	(saving$5 with state$5 check$5 same invalidat$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:24
L23	3	(print$ same (setting$5 parameter$5 attribut$5)) same (separat$5 same (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:24
L24	1175	(saving$5 with state$5 check$5 same invalidat$5 same print$5 with (setting$5 parameter$5 checking$5 attribut$5)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:25
L25	1173	(saving$5 with state$5 check$5 same invalidat$5 same print$5 with (setting$5 parameter$5 checking$5 attribut$5) same page$2).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:25
L26	0	(saving$5 with state$5 same check$5 same invalidat$5 same print$5 with (setting$5 parameter$5 checking$5 attribut$5) same page$2).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:25
L27	0	(saving$5 with state$5 same check$5 same invalidat$5 same print$5 with (setting$5 parameter$5 checking$5 attribut$5)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:25

L28	80	(print$ same (setting$5 parameter$5 attribut$5)) same (separat$5 sameh (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:48

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(print$ adj2 (setting$5 parameter$5 attribut$5)) same (separat$5 interleave$5) adj2 (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:54
		(358/1.1, "358"/("1.11-1.16")).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:59
		(358/1.1, "358"/("1.11-1.116")).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:59
		(358/1.1, 358/1.11-1.116).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:59
		(358/1.1, 358/1.11-1.116).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:59
L1	6	(sav$5 adj2 function$5) same print$5 adj2 (parameter$5 setting$5 attribut$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:20
L2	1203	(page with blank$5) with print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:52
L3	16	(page with blank$5) with print$5 adj2 (setting$5 parameter$5 attribut$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:53
L4	1	(print$ adj2 (setting$5 parameter$5 attribut$5)) same ((separat$5 interleave$5) adj2 (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:25

L5	928	(NISHIKAWA near4 SATOSHI NAKAGIRI near4 KOJI MORI near4 YASUO KUJIRAI near4 YASUHIRO).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:21
L6	2	jp-2000185445-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:21
L7	24	5 and @rlad<"19991222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:59
L8	24	(print$ adj2 (setting$5 parameter$5 attribut$5)) same ((separat$5 interleave$5) same (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:25
L9	1	8 and @rlad<"19991222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:25
L10	30	(saving$5 near4 state$2 near4 check$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:26
L11	2	(saving$5 near4 state$2 near4 check$2) same print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:26
L12	35	(print$ adj2 (setting$5 parameter$5 attribut$5)) same (separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:36
L13	17	(invalidat$5 deactivat$5) near4 save$5 adj2 mode$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:39
L14	14854	(358/1.1, 358/1.9, 358/1.11-1.16).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:39

L15	1528	14 and @rlad<"19991222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:00
L16	1	(print$5 with setting$5 with check$5 with separat$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:01
L17	0	(sav$5 adj2 function$5) same print$5 adj2 (parameter$5 setting$5 attribut$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:20
L18	1	(print$5 with setting$5 with check$5 with separat$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 11:21
S1	6	(("5749024") or ("6104498") or ("5442732")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 14:48
S2	12	(("6654136") or ("6765685") or ("5918088") or ("6301013") or ("5881212") or ("6362892")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 15:12
S3	2	("5881212").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 16:58
S4	11352	(358/1.1, 358/1.11-1.16).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:59
S5	11	(print$ adj2 (setting$5 parameter$5 attribut$5)) with (separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S6	0	(print$ adj2 (setting$5 parameter$5 attribut$5)) with (separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5)) with (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:01

S7	0	(print$ adj2 (setting$5 parameter$5 attribut$5)) with (separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:01
S8	3	(print$ adj2 (setting$5 parameter$5 attribut$5)) with (separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5)) and (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S9	1	(print$ adj2 (setting$5 parameter$5 attribut$5)) same (separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S10	274	(print$ adj2 (setting$5 parameter$5 attribut$5)) and(separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5)) and (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:02
S11	1	S4 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:02
S12	1	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:02
S13	1	(print$ adj2 (setting$5 parameter$5 attribut$5)) same (separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:02
S14	1	(print$ adj2 (setting$5 parameter$5 attribut$5)) same (separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:02
S15	6	(print$ with (setting$5 parameter$5 attribut$5)) same (separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S16	24	(print$ with (setting$5 parameter$5 attribut$5)) same (separat$5 with (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42

S17	26	(print$ with (setting$5 parameter$5 attribut$5)) same (separat$5 with (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 near4 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:02
S18	7	(print$5 near4 driver$5) with (fac adj2 up face adj2 down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S19	21	(print$5 near4 driver$5) same (fac adj2 up face adj2 down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 17:03
S20	1	(print$ adj2 (setting$5 parameter$5 attribut$5)) same (separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:54
S21	11	(print$ adj2 (setting$5 parameter$5 attribut$5)) with (separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:26
S22	7	(print$5 near4 driver$5) with (fac adj2 up face adj2 down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S23	25	(print$ with (setting$5 parameter$5 attribut$5)) same (separat$5 with (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:46
S24	3	(print$ adj2 (setting$5 parameter$5 attribut$5)) with (separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5)) and (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S25	6	(print$ with (setting$5 parameter$5 attribut$5)) same (separat$5 adj2 (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:42
S26	25	(print$ with (setting$5 parameter$5 attribut$5)) same (separat$5 with (sheet$4 page$2 media$5 medium$5 paper$5)) same (print$5 adj2 driver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:24